G.R. POST SPA. 5'-7 3/4" 7 SPACES @ 6'-3" = 43'-9" 5'-7 3/4" BEAM 1 (SHIPPING WEIGHT = 46,725 (bs)BEAM 2 (SHIPPING WEIGHT = 46,525 (bs)BEAM 3 BEAM 4 -1"\$ × 8'-0" TIE RODS (GALV) (8 REQ'D) BEAM 5 3/4"Ø x 39" DOWEL PINS -(SMOOTH) (10 REQ'D) E OF DIAPHRAGM 18'-4 1/4" 18'-4" 18'-4 1/4" BEAM LENGTH = 55'-0 1/2" ABUTMENT #1 (REAR) ABUTMENT #2 (FORWARD) BEAM LAYOUT 1"x3"x28'-3 3/8" Exp. Strip (2 REQ'D) APPROVED
BY LOGAN CO. ENGINEER 1"x5"x12" Bearing Pads (50 Duro) (20) Req'd 1/8"x5"x12" Shims (20 Req'd) REVISIONS 1"x6"x6" Exp. Jt. Pads w/2" Ctr. Hole (TYP) (10) Req'd Proj. LOGAN COUNTY JOB
Br. No: 211-1.22
County, State: LOGAN COUNTY, OHIO
Location: INDIAN CREEK ROAD NO. Description Date E Contractor: COUNTY FORCES Fabrication Plant : DRAFTING OFFICE : BEARING PAD PLACEMENT DETAIL PRESTRESS SERVICES

DECATUR INDIANA
Ph# (219) 724-7117
Fax # (219) 724-3349 Date: 4-22-97 PRESTRESS SERVICES INC. P.D. BOX 111, 7855 N.V. WINCHESTER ROAD
DECATUR, INDIANA . 46733
PHONE # : (219) 724-7117

Ph# (219)
Fax # (219) Drawn By: D.J.S. Checked By: 423-97 Drawing No. P.C.# 9427 2944 1 DF FAX # : (219) 724-3349

