

E Black Oak 61 P 176 W 10 Links Hickory 22.10 S 75 E 18 Links. 357  
for contents. See the plat

David Ferry }  
John Means }  
Wm Raindon } Ch  
men.

Dan Hopkins County Surveyor L.C.

N<sup>o</sup> 350 Surveyed Nov. 9. 1836 for John Means the East half of the  
NW quarter of S10. T1R8E Beginning at the quarter section corner  
on the North line of the section, one of the original corner trees, down  
thence S85<sup>W</sup> 19 ch 87 Link to a Hickory 18<sup>W</sup> NW 28 links. Gray ash  
30<sup>W</sup> S56<sup>W</sup> 20 Link thence S4<sup>3</sup>/<sub>4</sub>E 40 chain cupping several branches  
several times to a Beech 22<sup>W</sup> S58<sup>E</sup> 36 Links. Ash 12<sup>W</sup> N9<sup>W</sup>  
37 links. thence N85<sup>E</sup> 19 ch 87 links cupping several times to a Beech  
to a Red Oak 12<sup>W</sup> with 23 L. Black Ash 3<sup>W</sup> East 28 links  
thence N4<sup>3</sup>/<sub>4</sub>W 40 ch. to the beginning Containing 79<sup>4</sup>/<sub>10</sub> Acres -  
David Ferry }  
Wm. Raindon } ch.

Dan Hopkins Co. Sur. L.C.

N<sup>o</sup> 351 Nov. 15. 1836. Surveyed for Saml. Jenkins part of Military Survey  
N<sup>o</sup> 9931 as follows Beginning at a Beech in the North line of said Survey  
East side of a Mill race, thence S16<sup>W</sup> 18<sup>W</sup> poles to a stake. thence S46<sup>E</sup>  
14<sup>W</sup> poles to a stake, thence S81<sup>E</sup> 5 poles to a Sugar S.W. Corner to the  
Town of North Wood thence with the Western line thereof N12<sup>W</sup> 28<sup>W</sup>  
poles to the North line of said Survey - thence with said line S78<sup>W</sup>  
15<sup>W</sup> poles to the beginning Containing Two acres (2 acres) -  
John Boner }  
Alvin Clark } ch men

Dan Hopkins Co. Sur. L.C.

N<sup>o</sup> 352 Surveyed Nov. 15. 1836 for Wm. Leach part of Military Survey  
N<sup>o</sup> 9954 as follows - Beginning at two Dogwoods N.W. Corner  
to Land Surveyed by Joe W. Raper to said Leach thence N16<sup>W</sup> 18<sup>W</sup>  
poles to a Stake plus a Beech & large Dogwood, thence N78<sup>E</sup>  
89 poles cupping Creek to a Red Oak, Elm & Ash. thence  
N12<sup>W</sup> 180 poles cupping Miami at 114 poles to a Beech & Sugar  
thence S78<sup>W</sup> 89 poles to the Beginning. Containing 100 acres -

Dan Hopkins Co. Sur. L.C.





Amy L. Havenar, P.E.  
Britt R. Havenar, P.E., P.S.

### Legal Description for 39.933 acres

Situate in VMS 9951, Township of Richland, County of Logan, State of Ohio, and being an original 40.000 acre tract owned by Paul D. & Clara M. Quay in Official Record 1416, Page 2420, Parcel I, of the Recorder's Office of Logan County, Ohio, as shown by a survey by Britt R. Havenar, Ohio P.S. No. 8266, and being more particularly described as follows:

Commencing at a 1" iron pin found at the intersection of State Route 638 (60' R/W) and Township Road 51 (60' R/W) and northeast corner of VMS 9951, said pin found being the True Point of Beginning of the tract herein described;

Thence South 06 degrees 20 minutes 50 seconds East, along the centerline of right-of-way of State Route 638 and east line of VMS 9951, a distance of 762.30 feet to a Mag spike set, said spike being the northeast corner of 54.961 acre tract owned by Abigail Suzanne Hoon, Trustee in Official Record 1416, Page 455;

Thence South 84 degrees 44 minutes 09 seconds West, along the north line of said 54.961 acre tract, a distance of 2231.07 feet to a 5/8" iron pin found, said pin being the southeast corner of a 1.02 acre tract owned by Denise Jo Phillips in Official Record 291, Page 625, passing through a 5/8" capped iron pin set at a distance of 30.01 feet which marks the west right-of-way line of State Route 638;

Thence North 07 degrees 18 minutes 42 seconds West, along said east line of said 1.02 acre tract, a distance of 793.06 feet to a 5/8" iron pin found, said pin being on the centerline of right-of-way of Township Road 51 and the north line of VMS 9951, passing through a 5/8" capped iron pin set at a distance of 763.02 which marks the south right-of-way line of Township Road 51;

Thence North 85 degrees 30 minutes 41 seconds East, along said centerline of right-of-way and north line of VMS 9951, a distance of 2245.20 feet to a 1" iron pin found, passing through a 5/8" iron pin found at a distance of 1570.01 feet, said 1" iron pin being the True Point of Beginning of the above described tract, containing 39.933 acres more or less, of which 2.051 acres are in the existing road right-of-way, subject to all easements of record.

Basis of bearings based on State Plane Coordinates, NAD83, Ohio North Zone.

Description prepared by:  
Britt R. Havenar, P.E., P.S., Ohio P.S. No. 8266





APPROVED

